

```
1: //  
2: //  TroisLettresViewController.h  
3: //  TroisLettres  
4: //  
5: //  Created by Gabriel Parriaux on 22.11.12.  
6: //  Copyright (c) 2012 gymo. All rights reserved.  
7: //  
8:  
9: #import <UIKit/UIKit.h>  
10:  
11: @interface TroisLettresViewController : UIViewController  
12:  
13: @end
```

```
1: //  
2: //  TroisLettresViewController.m  
3: //  TroisLettres  
4: //  
5: //  Created by Gabriel Parriaux on 22.11.12.  
6: //  Copyright (c) 2012 gymo. All rights reserved.  
7: //  
8:  
9: #import "TroisLettresViewController.h"  
10: #import "LettreChoisieViewController.h"  
11:  
12: @interface TroisLettresViewController () <LettreChoisieViewControllerDelegate>  
13:  
14: @property (nonatomic, strong) NSString *lettreChoisiePourLettreChoisieVC;  
15:  
16: @end  
17:  
18: @implementation TroisLettresViewController  
19:  
20: @synthesize lettreChoisiePourLettreChoisieVC = _lettreChoisiePourLettreChoisieVC;  
21:  
22: - (void)prepareForSegue:(UIStoryboardSegue *)segue sender:(id)sender  
23: {  
24:     if ([segue.identifier isEqualToString:@"MontreLettreChoisie"]) {  
25:         [segue.destinationViewController setDelegate:self];  
26:         [segue.destinationViewController  
            setLettreAffichee:self.lettreChoisiePourLettreChoisieVC];  
27:     }  
28: }  
29:  
30: - (IBAction)boutonAPresse  
31: {  
32:     self.lettreChoisiePourLettreChoisieVC = @"A";  
33:     [self performSegueWithIdentifier:@"MontreLettreChoisie" sender:self];  
34: }  
35:  
36: - (IBAction)boutonBPresse  
37: {  
38:     self.lettreChoisiePourLettreChoisieVC = @"B";  
39:     [self performSegueWithIdentifier:@"MontreLettreChoisie" sender:self];  
40: }  
41:  
42: - (IBAction)boutonCPresse  
43: {  
44:     self.lettreChoisiePourLettreChoisieVC = @"C";  
45:     [self performSegueWithIdentifier:@"MontreLettreChoisie" sender:self];  
46: }  
47:  
48: - (void)utilisateurAQuitteLettreChoisieViewController:(LettreChoisieViewController  
    *)lettreChoisieVC  
49: {  
50:     [self dismissViewControllerAnimated:YES completion:nil];  
51: }  
52:  
53:  
54: @end
```

```
1: //  
2: //  LettreChoisieViewController.h  
3: //  TroisLettres  
4: //  
5: //  Created by Gabriel Parriaux on 22.11.12.  
6: //  Copyright (c) 2012 gymo. All rights reserved.  
7: //  
8:  
9: #import <UIKit/UIKit.h>  
10:  
11: @protocol LettreChoisieViewControllerDelegate;  
12:  
13: @interface LettreChoisieViewController : UIViewController  
14:  
15: @property (nonatomic, strong) NSString *lettreAffichee;  
16: @property (nonatomic, weak) id <LettreChoisieViewControllerDelegate> delegate;  
17:  
18: @end  
19:  
20: @protocol LettreChoisieViewControllerDelegate <NSObject>  
21:  
22: - (void)utilisateurAQuitteLettreChoisieViewController:(LettreChoisieViewController *)lettreChoisieVC;  
23:  
24: @end
```

```
1: //  
2: //  LettreChoisieViewController.m  
3: //  TroisLettres  
4: //  
5: //  Created by Gabriel Parriaux on 22.11.12.  
6: //  Copyright (c) 2012 gymo. All rights reserved.  
7: //  
8:  
9: #import "LettreChoisieViewController.h"  
10:  
11: @interface LettreChoisieViewController ()  
12:  
13: @property (weak, nonatomic) IBOutlet UILabel *lettreAfficheeLabel;  
14:  
15: @end  
16:  
17: @implementation LettreChoisieViewController  
18:  
19: @synthesize lettreAfficheeLabel =_lettreAfficheeLabel;  
20:  
21: - (void)setLettreAfficheeLabel:(UILabel *)lettreAfficheeLabel  
22: {  
23:     _lettreAfficheeLabel = lettreAfficheeLabel;  
24:     self.lettreAfficheeLabel.text = self.lettreAffichee;  
25: }  
26:  
27: - (IBAction)boutonRetourPresse:(id)sender  
28: {  
29:     [self.delegate utilisateurAQuitteLettreChoisieViewController:self];  
30: }  
31:  
32: - (BOOL)shouldAutorotateToInterfaceOrientation:(UIInterfaceOrientation)interfaceOrientation  
33: {  
34:     return YES;  
35: }  
36:  
37: - (void)viewDidLoad {  
38:     [self setLettreAfficheeLabel:nil];  
39:     [super viewDidLoad];  
40: }  
41: @end
```